INDEX TO VOLUME XXVIII

A.C.T.H., and cortisone therapy of congenital hypoplastic anaemia (Diamond-Blackfan type), 363 in nephrosis, 372

treatment of acute acquired haemolytic

anaemia in childhood, 87 of nephritis, increased haematuria during, 213

of Schoenlein-Henoch syndrome, 57

Acidosis, renal, idiopathic, in twins, 55

ADAM, H. M., and MITCHELL, R. G.: Urinary excretion of histamine in children, 61 Adrenergic blocking agents, response of acute anterior poliomyelitis to, 381

Adrenocorticotrophic hormone in treatment of acute acquired haemolytic anaemia in childhood, 87 of nephritis, increased haematuria

during, 213 of Schoenlein-Henoch syndrome, 57 AITKEN, J.: Remnants of the vitello-intestinal duct, 1 Alkalosis resulting from overdosage of citrate mixture,

F. M. B., see FISHER, O. D., and ALLEN ALLEN. F. M. B.

Amino-aciduria and idiopathic hypoproteinaemic

oedema in infant, 104 Anaemia, haemolytic, acute acquired, in childhood treated with A.C.T.H., 87

hypoplastic, congenital (Diamond-Blackfan type), 363 Antibiotics in treatment of Gastro-enteritis (abstract),

242

sensitivity to, of strains of Bact. coli. associated with infantile gastro-enteritis, 30
Antibody production, failure of, and absence of

serum gamma globulin in fatal generalized vaccinia,

APLEY, J.: The infant with stridor, 423: (abstract), 244
ARNEIL, G. C., and WILSON, H. E. C.: A.C.T.H. in
nephrosis, 372

Ascaris infection, treatment with velardon, 329

Ascites, foetal, 398

Atelectasis, pulmonary, in young children, 170

B.C.G. vaccination in newborn (abstract), 246 BABER, M. D.: Case of osteomyelitis of all the small bones of hands and feet, 24

Bact. coli., strains of, associated with infantile gastro-enteritis, sensitivity to antibiotics, 30

Bekius, H., see Jonxis, J. H. P., and Bekius, H.
Blood glucose pattern of normal infants in first 12
hours of life, 134

pressure, estimation of, in childhood with special reference to choice of standard cuffs, 268

special reference to choice of standard cuffs, 268
— sugar studies on premature babies, 194
Bodian, M.: Some observations on children with cytomegalic inclusions (abstract), 245
—, see also Kempton, J. J., and Bodian, M. Bone age and development, variations in, in congenital hemihypertrophy, 321
— lesions, typhoid, in infancy, 19
Book Reviews: Bodian, M., ed.: Fibrocystic disease of the pancreas, 1953, 342: Cruickshank, E. W. H.: Food and nutrition, 2nd edition, 1951, 79; Falkner, F.: The convalescent child, 1952, 79; Fanconi and Wallegen's Textbook of nædiatrics. FANCONI and WALLGREN'S Textbook of paediatrics,

1952, 160; GARROD, BATTEN and THURSFIELD'S Diseases of children, 5th edition, 1953, 159; ILLINGWORTH, R. S.: The normal child, 1953, 341; KRAYNEBÜTH, H., and RICHTER, H. R.: Die zerebrale Angiographie, 1952, 80; LOW, A.: Growth of children, 1952, 341; MOENCH, L. G.: Office psychiatry, 1952, 160; MORRISON, S. D.: Human milk, 1952, 341; 1952 Yearbook of pediatrics, 160; ROVIRALTA, E.: Les vomissements du nourrisson, 1952, 342; RUSSELL, W. R.: Poliomyelitis, 1952, 79; SLOBODY, L. B.: Survey of clinical paedriatrics, 1952, 159; WORSTER-DROUGHT, C., ed: Residential speech therapy, 1952, 80 oric acid poisoning in infancy arising from treat-

Boric acid poisoning in infancy arising from treatment of napkin rash, 484

BOUND, J. P., and HACKETT, W. R.: Idiopathic hypoproteinaemic oedema and amino-aciduria in

infant, 104

—, see also Finlay, H. V. L., and Bound, J. P. Bower, B. D., Gerrard, J. W., D'Abreu, A. L., and Parsons, C. G.: Two cases of congenital mitral stenosis treated by valvotomy, 91

Brailisford, J. F.: Some radiographic manifestations

of early scurvy, 81

Briggs, J. N., Emery, J. L., and Illingworth, R. S.

Congenital stippled epiphyses, 209

—, see also Philpott, M. G., and Briggs, J. N.

British Paediatric Association, 24th General Meeting,

BURRELL, J. URRELL, J. M.: Comparative study of circulating eosinophil level in babies. II. In full term infants,

C

Camphor, poisoning by, in childhood, 475
CARTER, F. S., and DOCKERAY, G. C.: Case of congenital hemihypertrophy showing variations in bone age and development, 321

Ceylonese children, atypical pneumonias in, 176 CHARLES, D.: Retroperitoneal teratoma in infancy, 147

Chloramphenicol, absorption of, in newborn, 66 Chondrodystrophy with ectodermal defects, 14 Cirrhosis, hepatic, associated with fibrocystic disease

of pancreas, 343 Citrate mixture, alkalosis resulting from overdosage

of, 55 CLAIREAUX, E., see Douglas, D. M., and

CLAIREAUX, A. E., SEE DOUGLAS, D. M., and CLARK, C. D., and PICKUP, J. D.: Haemorrhagic infarction of kidney treated by nephrectomy, 302 Coles, B. L., see MACRAE-GIBSON, N. K., and Coles, p. 1.

COORAY, G. H., see DE SILVA, C. C., and COORAY, G. H.

Cortisone and A.C.T.H. therapy of congenital hypoplastic anaemia (Diamond-Blackfan type), 363—treatment of nephritis, increased haematuria during, 213

of Schoenlein-Henoch Syndrome, 57 CRAIG, J. O.: Poisoning by volatile oils in childhood,

and FRASER, M. S.: Accidental poisoning in

childhood, 259
CREERY, R. D. G., and PARKINSON, T. J.: Blood glucose changes in newborn. 1. Blood glucose pattern of normal infants in first 12 hours of life,

Cretinism, goitrous, radio-active studies in (abstract),

Curtin, M.: Neonatal diphtheria, 127

Cytomegalic inclusions, children with (abstract), 245

D

D'ABREU, A. L., see BOWER, B. D., GERRARD, J. W., D'ABREU, A. L., and Parsons, C. G. DAVIES, B. S., GERRARD, J. W., and WATERHOUSE, J. A. H.: Pattern of haemolytic disease of newborn, 466

DE SILVA, C. C., and COORAY, G. H.: Atypical pneumonias in Ceylonese children, 176
Death, unexpected, in childhood, association of pulmonary thrombosis with, 187

Diabetes, congenital, 297

Diamond-Blackfan type of congenital hypoplastic anaemia, 363

Dibenamine, response of acute anterior poliomyelitis to, 381

DIGGLE, J. H.: Favism in London, 369

Diphtheria, neonatal, 127

Diphtheria-pertussis inoculation, encephalopathy following, 149
Dobbs, R. H.: Treatment of gastroenteritis with anti-

biotics (abstract), 242

DOCKFRAY, G. C., see CARTER, F. S., and DOCKFRAY, G.C.

Douglas, D. M., and Claireaux, A. E.: Hodgkin's disease in childhood, 222

Douglas, J. W. B., and Mogford, C.: Results of national inquiry into growth of premature children from birth to 4 years, 436

Drennan, J. M.: Acute isolated myocarditis in newborn infants, 288

Duodenal ulcers with extensive liver damage in infant twins, 471

E

Ectodermal defects with chondrodystrophy, 14 Electro-encephalograph findings in severe enuresis,

316 W. B., see MILLER, R. A., and ELLIS ELLIS.

R. W. B. EMERY, J. L.: Changes in liver in newborn related to

physiological icterus (abstract), 245

—: Involution of left liver in newborn and its relationship to physiological icterus, 463

—: Muscle fibres in children's stools, 143

—: Pulmonary thrombosis and its association with

unexpected death in childhood, 187

see also Briggs, J. N., Emery, J. L., and ILLINGWORTH, R. S.

Empyema thoracis and staphylococcal pneumonia complicated by tension pneumothorax, 42 Encephalopathy following diphtheria-pertussis

inoculation, 149

Enuresis, classification of, 392—, severe, E.E.G. findings in, 316

Eosinophil, circulating, level in full term infants, 140 Epiglottis, primary and secondary abnormalities of, in infants with stridor, 434

Epilepsy, minor, drugs used in treatment of, nephrotoxic effects of (abstract), 243

Epiphyses, congenital stippled, 209 Erythema toxicum neonatorum, 404 Erythrogenesis imperfecta, 363

Erythron, peroxidase activity of, in Fanconi's syndrome, 359

Eucalyptus, poisoning by, in childhood, 477

Fanconi's syndrome, peroxidase activity of erythron in, 359

Favism in London, 369

Feet and hands, osteomyelitis of all small bones of, 24

Fibro-elastosis, endocardial, left auricular enlargement in, 284

FINLAY, H. V. L., and BOUND, J. P.: Urticaria neonatorum, 404

FISHER, O. D., and ALLEN, F. M. B.: Erythrogenesis imperfecta or congenital hypoplastic anaemia (Diamond-Blackfan type), 363
Foetus, rupture of heart of, during labour, 201

FORRESTER, R. M., see PATTERSON, W. H., and FORRESTER, R. M.

Frain-Bell, W., see Rook, A., and Frain-Bell, W. Franklin, A. W., and Williamson, D. A. J.: Haemangio-endothelioma with haemorrhage and

thrombocytopenia, 490
FRASER, M. S., see CRAIG, J. O., and FRASER, M. S.
_____, see also MacGillivray, P. C., and FRASER,

FREER, J. L., and MATHESON, W. J.: Left auricular enlargement in endocardial fibro-elastosis, 284

GAISFORD, W .: B.C.G. vaccination in newborn

(abstract), 246 congenital, liver Galactosaemia. damage and (abstract), 245

GALLAGHER, MACGREGOR, M. ISRAELSKI, M.: Chondrodystrophy with ectodermal defects, 14

GALLOWAY, W. H., see SMITH, J., and GALLOWAY, W.H.

GARDIKAS, G., SCOTT, D. G., and WILKINSON, J. F. Observations on foetal haemoglobin, 38

GASTRO-ENTERITIS, infantile, strains of Bact. coli associated with, sensitivity to antibiotics, 30 , treatment with antibiotics (abstract), 242

GERRARD, J. W., see BOWER, B. D., GERRARD, J. W.,
D'ABREU, A. L., and PARSONS, C. G.

—, see also Davies, B. S., GERRARD, J. W., and
WATERHOUSE, J. A. H.
GIBSON, N. K. M., see MACRAE-GIBSON, N. K.

Glucose, blood, patterns in normal infants in first 12 hours of life, 134

GRAHAM, A. L. M., see McInroy, R. A., and GRAHAM, A. L. M. GRAY, O. P.: Hydatid disease in childhood (abstract), 243

GRIFFITHS, M. I.: Pulmonary atelectasis in young children, 170

GROWTH, disorders of, in childhood (abstract), 244 GUREVITCH, J., see SHAMIR, Z., and GUREVITCH, J.

H

HACKETT, W. R., see BOUND, J. P., and HACKETT,

Haemangioendothelioma of liver simulating congenital heart disease in infant, 49

with haemorrhage and thrombocytopenia, 490
Haematuria, increased, in nephritis during cortisone and A.C.T.H. administration, 213 Haemoglobin, foetal, 38

Haemolytic disease of newborn, 292

-, incidence of (abstract), 246 -, pattern of, 466

HARLING, M., see KESSON, C. W., and HARLING, M. HALL, E. G., HAY, J. D., Moss, P. D., and RYAN, M. M. P.: Congenital toxoplasmosis in newborn, 117

Hands and feet, osteomyelitis of all small bones of,

HAWORTH, J. C., see KEIDAN, S. E., MCCARTHY, K., and HAWORTH, J. C.
HAY, J. D., see HALL, E. G., HAY, J. D., Moss, P. D., and RYAN, M. M. P.

Heart, congenital mitral stenosis treated by valvotomy,

- disease, congenital, simulated by haemangioendothelioma of liver in infant, 49 foetal, rupture of, during labour, 201
- left auricular enlargement in endocardial fibroelastosis, 284
- —, systolic murmurs in infants, incidence and significance of, 52
- Hemihypertrophy, congenital, showing variations in bone age and development, 321
- Hemiplegia, infantile, sensory defects in (abstract), 243 Hernia, umbilical, in infants, 450
- HIGASHI, O., KOSEKI, E., and HIGUCHI, M. Case of Fanconi's syndrome with a study of peroxidase activity of the erythron, 26
- Higuchi, M., see Higashi, O., Koseki, E., and Higuchi, M.
- HINDEN, E., see POULTON, E. M., and HINDEN, E. Histamine, urinary excretion of, in children, 61 Hodgkin's disease in childhood, 222
- HOLZEL, A.: Skin thrush in early infancy, 412 HUBBLE, D. V.: Some disorders of growth in child-
- hood (abstract), 244
 HUGHES, R., and TODD, R. McL. Intracranial bruits in infants and children, 198
- HUISMAN, T. H. J., see JONXIS, J. H. P., and HUISMAN, T. H. J.
- HUTCHISON, J. H.: Radio-active iodine studies in goitrous cretinism (abstract), 243
 Hyaluronidase and killed anti-tuberculosis vaccine, 36
- Hydatid disease in childhood (abstract), 243
- Hyperpyrexia in post-kernikterus syndrome, 217 Hypoproteinaemic oedema, idiopathic, and aminoaciduria in infant, 104

- Icterus, physiological, changes in liver in newborn related to (abstract), 245
- , relationship of involution of left liver in newborn to, 463
- Ileum, duplication of, 72
- ILLINGWORTH, R. S., see BRIGGS, J. N., EMERY, J. L., and ILLINGWORTH, R. S. Infants, feeding of, history of, 151, 232, 332, 416, 495
- , newborn, absorption of chloramphenicol in, 66 acute isolated myocarditis in, 288
- B.C.G. vaccination in (abstract), 246
- —, blood glucose changes in, 134
 —, changes in liver in, related to physiological icterus (abstract), 245
- congenital toxoplasmosis in, 117
- diphtheria in, 127
- haemolytic disease of, 292
- incidence of (abstract), 246
 pattern of, 466
 involution of left liver in, and its relation-
- ship to physiological icterus, 463
- urticaria of, 404 -, premature, blood sugar studies on, 194
- growth of, from birth to 4 years, results of
- national inquiry into, 436

 , human milk and dried cow's milk as foods for (abstract), 245 diphtheria-pertussis, encephalography Inoculation,
- following, 149 Intracranial bruits in infants and children, 198
- Intussusception, non-operative reduction of (abstract),
- Iodine, radio-active, studies in goitrous cretinism
- (abstract), 243

 Israelski, M., see Gallagher, E. J., MacGregor, M. E., and Israelski, M.

JACKSON, H., KESSEL, I., JAVETT, S. N., and KUSH-LICK, P.: Typhoid osteitis in infancy, 19

- JAVETT, S. N., see JACKSON, H., KESSEL, I., JAVETT, S. N., and KUSHLICK, P.
- JONES, H. E., Recurrent parotitis in children, 182
 JONXIS, J. H. P., and BEKIUS, H.: Treatment of ascaris
 infection with velardon, 329
 and HUISMAN, T. H. J. Excretion of sugars after
 intravenous administration of invert sugar, 446

- KEIDAN, S. E., McCarthy, K., and Haworth, J. C.: Fatal generalized vaccinia with failure of antibody production and absence of serum gamma globulin,
- KEMPTON, J. J., and BODIAN, M.: Duodenal ulcers with extensive liver damage in infant twins, 471
 KESSEL, I., see JACKSON, H., KESSEL, I., JAVETT, S. N., and KUSHLICK, P.
 KESSON, C. W., and HARLING, M.: Investigation into certain aspects of pertussis, 409
 KINNEY, harmorrhagic infarction of treated by

- KIDNEY, haemorrhagic infarction of, treated by nephrectomy, 302
- thrombosis complicating pink disease cured by nephrectomy, 300
 KILLPACK, W. S.: Duplication of ileum, 72
- KOSEKI, E., see HIGASHI, O., KOSEKI, E., and HIGUCHI,
- KRAMER, J. G., see WHITTEN, W. W., and KRAMER, J. G.
- KUSHLICK, P., see JACKSON, H., KESSEL, I., JAVETT, S. N., and KUSHLICK, P.

L

- Labour, rupture of foetal heart during, 201
- Larynx, primary and secondary abnormalities of, in
- infants with stridor, 434
 Laterality crossed, significance and treatment in ordinary school life, 247
 Levick, C. B., and Rubie, J.: Haemangioendotheli-
- oma of liver simulating congenital heart disease in infant, 49
- LEVIN, B., see MACKAY, H. M. M., and LEVIN, B. LIVER, changes in, in newborn related to physiological icterus (abstract), 245
- , cirrhosis of, associated with fibrocystic disease of pancreas, 343
- damage and congenital galactosaemia (abstract), 245
- extensive, in duodenal ulcers in infant twins, 471
- haemangioendothelioma of, simulating congenital heart disease in infant, 49
- involution of left, in newborn, and its relationship to physiological icterus, 463
- LORBER, J.: Ectopic ossification in tuberculous men-ingitis, 99 LORD, J. M.: Foetal ascites, 398

M

- MACARTHUR, P., see MACDONALD, A. M., and MAC-ARTHUR, P.
- ARTHUR, P.
 McCARTHY, K., see KEIDAN, S. E., McCARTHY, K., and HAWORTH J. C.
 MACDONALD, A. M., and MACARTHUR, P.: Foetal
- vaccinia, 311
- MACGILLIVRAY, P. C., and FRASER, M. S.: Boric acid poisoning in infancy arising from treatment of
- mapkin rash, 484

 MacGregor, M. E., see Gallagher, E. J., Mac-Gregor, M. E., and Israelski, M.

McInroy, R. A., and Graham, A. L. M.: Rupture of foetal heart during labour, 201

MACKAY, H. M. M., and LEVIN, B.: Human milk and dried cow's milk as foods for premature babies (abstract), 245

MACRAE-GIBSON, N. K., and Coles, B. L.: Infantile hypertrophic pyloric stenosis recurring after Rammstedt's operation, 130

Malidone, nephrotoxic effects of (abstract), 243

Mandibular dysostosis in African infant, 125 MATHESON, W. J., see Freer, J. L., and MATHESON, W.J.

Mediastinum, enterogenous cyst of, 325
Meningitis, tuberculous, ectopic ossification in, 99
Methyl salicylate, poisoning by, in childhood, 480
Metrakos, J. D.: Congenital hypertrophic pyloric

stenosis in twins, 351 MICHAELS, L., and WALTERS, G.: Increased haematuria in nephritis during cortisone and A.C.T.H. administration, 213

Milk, human and dried cow's, as foods for premature

(abstract), 243
MILLS, W. C. Q., and OWEN, T. K.: Renal thrombosis complicating pink disease, 300

Milontin, nephrotoxic effects of (abstract), 243 MITCHELL, R. G., see ADAM, H. M., and MITCHELL, R.G.

Mitral stenosis, congenital, treated by valvotomy, 91 Mogford, C., see Doughas, J. W. B., and Mogford,

Moss, P. D., see Hall, E. G., Hay, J. D., Moss, P. D., and Ryan, M. M. P. Muscle fibres in children's stools, 143

Myocarditis, acute isolated, in newborn infants, 288 -, idiopathic, in infants and children, 271

Nabarro, S. N., see Rose, B. S., and Nabarro, S. N. Napkin rash, boric acid poisoning arising from treatment of, 484

Nephrectomy, haemorrhagic infarction of kidney treated by, 302

—, renal thrombosis complicating pink disease

Nephritis, increased haematuria in, during cortisone and A.C.T.H. administration, 213
Nephrosis, A.C.T.H. in, 372

Newborn infants, absorption of chloramphenicol in, 66

acute isolated myocarditis in, 288 B.C.G. vaccination in (abstract), 246 blood glucose patterns in, 134

, changes in liver in, related to physiological icterus (abstract), 245

congenital toxoplasmosis in, 117

diphtheria in, 127 haemolytic disease of, 292

incidence of (abstract), 246 pattern of, 466

involution of left liver in, and its relationship to physiological icterus, 463 , urticaria, of, 404

O'BRIEN, D.: Absorption of chloramphenicol in the newborn, 66

- Oedema, idiopathic hypoproteinaemic, and amino-aciduria in infant, 104
- Oils, volatile, poisoning by, in childhood, 475 OLDHAM, J. S.: Two cases of chronic polyneuritis in children, 76
- REILLY, R. N., see WILLIAMS, H., O'REILLY, R. N., WILLIAMS, A.
- Ossification, ectopic, in tuberculous meningitis, 99 Osteitis, typhoid, in infancy, 19 Osteomyelitis of all small bones of hands and feet, 24
- Ovarian agenesis, 8 OWEN, T. K., see MILLS, W. C. Q., and OWEN, T. K.

- Paedriatric societies in British Isles, 71
- Pancreas, fibrocystic disease of, hepatic cirrhosis associated with, 343
- PARKINSON, T. J., see CREERY R. D. G., and PARKINSON, T. J.
- Parotitis, recurrent, in children, 182
 Parsons, C. G., see Bower, B. D., Gerrard, J. W.,
 D'Abreu, A. L., and Parsons, C. G.
 Patterson, W. H., and Forrester, R. M.: Hyper-
- pyrexia in post-kernikterus syndrome, 217
- PEARCE, R. A. H.: Crossed laterality, 247 Peroxidase of erythron Fanconi's activity in syndrome, 359
- Pertussis, investigation into certain aspects of, 409 Petit mal, drugs used in treatment of, nephrotoxic effects of (abstract), 243
- PHILLIPS, H. T.: Some social and ethnic variations in physique of South African nursery school children, 226
- PHILPOTT, M. G., and BRIGGS, J. N.: Treatment of Schoenlein-Henoch syndrome with adrenocorticotrophic hormone and cortisone, 57
- PICKUP, J. D., see CLARK, C. D., and PICKUP, J. D. Pink disease, renal thrombosis complicating, cured
- by nephrectomy, 300
 Pneumonia, staphylococcal, with empyema thoracis complicated by tension pneumothorax, 42 Pneumonias, atypical, in Ceylonese children, 176
- Pneumoperitoneum, diagnostic, 69
- Pneumothorax, tension, complicating staphylococcal pneumonia and empyema thoracis, 42
 Poisoning, accidental, in childhood, 26, 259
 —, boric acid, in infancy, arising from treatment of
- napkin rash, 484 by volatile oils in childhood, 475
- Poliomyelitis, acute anterior, response to adrenergic blocking agents and hot pack therapy, 381
- Polyneuritis, chronic, in children, 76 Post-kernikterus syndrome, hyperpyrexia in, 217 Poulton, E. M., and Hinden, E.: Classification of
- enuresis, 392 Premature babies, blood sugar studies on, 194
- —, human milk and dried cow's milk as foods for (abstract), 245
- growth of, from birth to 4 years, results of national inquiry into, 436
 —, handicaps of, related to mother's height
- and weight, 441
- Priscoline, response of acute anterior poliomyelitis to,
- Pterygium syndrome, 8 Pugh, R. J.: Liver damage and congenital galactosaemia (abstract), 245
- Pulmonary thrombosis and its association with unexpected death in childhood, 187
 Pyloric stenosis, congenital hypertrophic, in twins,
- infantile hypertrophic, recurring after Rammstedt's operation, 130
- Pyuria in children, 386

- Rammstedt's operation, infantile hypertrophic pyloric stenosis recurring after, 130
- RENDLE-SHORT, J.: Idiopathic renal acidosis in twins,
- Respirators, mechanical, improvements to (abstract),
- Retroperitoneal teratoma in infancy, 147
 ROOK, A., and FRAIN-BELL, W.: Papular urticaria,
- ROSE, B. S., and NABARRO, S. N.: Four cases of acute acquired haemolytic anaemia in childhood treated with A.C.T.H., 87
- Rubie, J.: Diagnostic pneumoperitoneum, 69
- —, see also Levick, C. B., and Rubie, J. Ryan, M. M. P., see Hall, E. G., Hay, J. D., Moss, P. D., and Ryan, M. M. P.

S

- SAINSBURY, H.: The estimation of blood pressure in childhood with special reference to the choice of standard cuffs, 268
- SALE, T. A.: Enterogenous cyst of mediastinum, 325 SALVIOLI, G.: Killed anti-tuberculosis vaccine and hyaluronidase (diffusing vaccine), 36
- Sassafras, poisoning by, in childhood, 478
- Schoenlein-Henoch syndrome, treatment with adrenocorticotrophic hormone and cortisone, 57
- SCOTT, D. G., see GARDIKAS, G., SCOTT, D. G., and WILKINSON, J. F. Scurvy, early, radiographic manifestations of, 81
- Serum gamma globulin, absence of, and failure of antibody production in fatal generalized vaccinia,
- SHAMIR, Z., and GUREVITCH, J.: Thirty-eight cases of haemolytic disease of the newborn, 292 SHORT, J. R., see RENDLE-SHORT, J.
- Skin thrush in early infancy, 412
- SKJELBRED, P.: Ovarian agenesis or the pterygium syndrome, 8
- SMITH, J., and GALLOWAY, W. H.: Sensitivity to anti-biotics of strains of *Bact. coli* associated with infantile gastro-enteritis, 30
- SMITH, R. E.: Improvements to mechanical respirators (abstract), 244
- SMITHELLS, R. W.: Vascular ring: cause of congenital stridor, 204
- Societies, paediatric, in British Isles, 71
- South African nursery school children, social and ethnic variations in physique of, 226
- SPEAR, A. B., see TURTON, E. C., and SPEAR, A. B. SPENCER, R.: Case of tension pneumothorax complicating staphylococcal pneumonia and empyema thoracis, 42
- Spolverini, Professor Luigi, 80th birthday of, 240 STANSFIELD, J. M., and WEBB, J. K. G.: Observations
- on pyuria in children, 386

of

21

of

ht

0,

0-

ns. ter

- Stools, children's, muscle fibres in, 143
 Stridor, congenital, vascular ring as cause of, 204

 —, infantile, 423
- , aetiological classification of, 434 ; follow-up survey (abstract), 244
- Sugars, excretion of, after intravenous administration
- of invert sugar, 446
 SUTHERLAND, J. M.: Encephalopathy following diphtheria-pertussis inoculation, 149
 Swinscow, D.: Accidental poisoning of young
- Swinscow, I children, 26

- TAYLOR, W. C.: Incidence and significance of systolic cardiac murmurs in infants, 52
- Teratoma, retroperitoneal, in infancy, 147

- Terramycin, effect on faecal flora of children in __institution, 33
- Thrombocytopenia and haemorrhage with haemangio-endothelioma, 490
- Thrombosis, pulmonary, and its association with unexpected death in children, 187

 —, renal, complicating pink disease, cured by
- nephrectomy, 300
- Thrush, skin, in early infancy, 412
 TIZARD, J. P. M.: Sensory defects in infantile hemi-
- plegia (abstract), 243
 TODD, R. McL., see Hughes, R., and Todd, R. McL.
 Toxoplasmosis, congenital, in newborn, 117
- Tridione, nephrotoxic effects of (abstract),
- Turpentine, poisoning by, in childhood, 479
 TURTON, E. C., and Spear, A. B.: E.E.G. findings in
 100 cases of severe enuresis, 316
- Twins, congenital hypertrophic pyloric stenosis in, 351
- —, infant, duodenal ulcers with extensive liver damage in, 471

Typhoid osteitis in infancy, 19

U

Urticaria neonatorum, 404 , papular, 304

- Vaccine, killed anti-tuberculosis, and hyaluronidase, 36
- Vaccinia, foetal, 311
- generalized, fatal, with failure of antibody production and absence of serum gamma globulin, 110
- Vascular ring; a cause of congenital stridor, 204 Velardon, treatment of ascaris infection with, 329 Vitello-intestinal duct, remnants of, 1

- WALKER, W.: Studies in incidence, with results, in haemolytic disease of newly born (abstract), 246 WALTERS, G., see MICHAELS, L., and WALTERS, G. WARD, O. C.: Blood sugar studies on premature babies, 194
- WATERHOUSE, J. A. H., see DAVIES, B. S., GERRARD, J. W., and WATERHOUSE, J. A. H.
- WAYBURNE, S.: Mandibular dysostosis in African infant, 125
- WEBB, J. K. G., see STANSFIELD, J. M., and WEBB, J. K. G.
- Webster, R., and Williams, H.: Hepatic cirrhosis associated with fibrocystic disease of pancreas, 343 Whitten, W. W., and Kramer, J. G.: The response of acute anterior poliomyelitis to adrenergic block-
- ing agents and hot pack therapy, 381 WICKES, I. G.: History of infant feeding, 151, 232, 332, 416, 495
- WILKINSON, J. F., see GARDIKAS, G., SCOTT, D. G., and WILKINSON, J. F.
 WILLIAMS, A., see WILLIAMS, H., O'REILLY, R. N.,
- and Williams, A. Williams, H., O'Reilly, R. N., and Williams, A.: Fourteen cases of idiopathic myocarditis in infants
- and children, 271

 —, see also Webster, R., and Williams, H.
 Williamson, D. A. J., see Franklin, A. W., and
 Williamson, D. A. J.
 Wilson, H. E. C., see Arneil, G. C., and Wilson,
- H. E. C.

Wintergreen, oil of, poisoning by, in childhood, 480 WOODS, G. E.: Some observations on umbilical hernia in infants, 450 WYLIE, M. E. S.: Case of congenital diabetes, 297

Z

ZACHARY, R. B.: Non-operative reduction of intus-susception (abstract), 246

